



PRODUCT DATA SHEET

HD 10W-30 CODE 620

PAGE 1 OF 1

Scot Lubricants Heavy Duty engine oils are a blend of premium quality heavy duty engine oils and up-to-date additive technology, formulated to provide the highest levels of equipment protection. Specially formulated for “next generation soot control” to provide excellent performance in the new EGR (Exhaust Gas Circulation) engines.

FEATURES:

- Bearing corrosion protection
- Anti-wear and Anti-foam properties
- Protection from deposits at all operating temperatures
- Anti-rust protection
- Extended drain capabilities

APPLICATIONS:

- CJ-4, CH-4, CG-4, CF-4, CF, CF-2, CD, CE and CC
- SL, SM, SJ, SH, SG, SF, SE, SD or SC
- U.S. Military CID A-A-52306
- MIL-Prf-2 1 04/G or the former MIL-L-46 1 52D
- GM 471 8M/6094M and Ford M2C 1 53-E
- Detroit Diesel 75E 270, series 51 71 and 92 engines
- Mack Engines (EO-N, EO-M, EO-M Plus, EO-L Plus, EO-L)
- Cummins Engines CES 20078,20077, 20076 20071, 20072, ACEA E3-96#4, E4-99#2, E5-02
- Caterpillar drive trains (TO-2)
- Allison C-3/C-4
- Fuller, Eaton, and Spicer transmissions
- Caterpillar ECF-1

TYPICAL TEST DATA:

Follow equipment manufacturer recommendations and conventional guides to determine the best oil for specific applications.

PRODUCT	HD 10W-30
CODE	620
API Gravity	30.0
Viscosity CST @ 100 °C	10.5
Viscosity CST @ 40 °F	69.8
Viscosity Index	155
Flash Point @°C	231
Pour Point °C	-32